Antiquity

Date of delivery:

Journal and vol/article ref: AQY 1700123

Number of pages (not including this page): 6

This proof is sent to you on behalf of Cambridge University Press.

Authors are strongly advised to read these proofs thoroughly because any errors missed may appear in the final published paper. This will be your ONLY chance to correct your proof. Once published, either online or in print, no further changes can be made.

Please return the marked proofs electronically **within 10 days** of receipt to:

Editorial Office <assistant@antiquity.ac.uk>

If you have **no corrections** to make, please email: assistant@antiquity.ac.uk

Marking up electronically. All proofs are enabled to allow electronic annotation in the free Adobe Reader software. Using your cursor select the text for correction, right click and use the most appropriate single tool (i.e. 'Replace', 'Cross out' or 'Add note to text'), to insert place the cursor then go to Tools/Comment&mark up/Text edits/Insert text at cursor. Please do not use the 'Sticky note' function its placement is not precise enough. 'Show comments' allows all marks to be clearly seen by the typesetter, please do not emphasise your marks in any way. Please return the file as an attachment via email.

Marking up by hand. Please use the proof correction symbols indicated keeping marks clear and concise. Scanned proofs can be returned via email.

If corrections are light, you can also send them as a list quoting both page and line number.

If you have any problems please contact:

Editorial Office <assistant@antiquity.ac.uk>

Antiquity

Please note:

- The proof is sent to you for correction of typographical errors only. Revision of the substance of the text is not permitted, unless discussed with the editor of the journal. Only **one** set of corrections are permitted.
- Please answer carefully any author queries.
- Corrections which do NOT follow journal style will not be accepted.
- A new copy of a figure must be provided if correction of anything other than a typographical error introduced by the typesetter is required.
- If you have problems with the file please contact

AQYproduction@cambridge.org

Please note that this pdf is for proof checking purposes only. It should not be distributed to third parties and may not represent the final published version.

Important: you must return any forms included with your proof.

Please do not reply to this email

NOTE - for further information about **Journals Production** please consult our **FAQs** at http://journals.cambridge.org/production_faqs

Author queries:

Q1: The distinction between surnames can be ambiguous, therefore to ensure accurate tagging for indexing purposes online (eg for PubMed entries), please check that the highlighted surnames have been correctly identified, that all names are in the correct order and spelt correctly.

Offprint order form

VAT REG NO. GB 823 8476 09

Antiquity

Article ID:

Should you wish to order paid offprints please give the address to which your offprints should be sent. They will be despatched by surface mail within one month of publication. For an article by **more than one author this form is sent to you as the first named. All extra offprints should be ordered by you in consultation with your co-authors.**

Contributors to Antiquity are entitled to discounted copies of the issue to which they have contributed, or a subscription to the volume to which they have contributed. Please contact journals@cambridge.org (in the UK or rest of the world) or subscriptions_newyork@cambridge.org (in North America).

Number of offprints required:

Email:

Offprints to be sent to (print in BLOCK CAPITALS):

Post/Zip Code:

Telephone:

Date (dd/mm/yy):

Author(s):

Article Title:

All enquiries about offprints should be addressed to **the publisher**: The Production editor Sue Tuck: Journals Production Department, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU, UK. Email: stuck@cambridge.org

Charges for extra offprints (excluding VAT) Please circle the appropriate charge:

Number of copies	25	50	100	150	200	per 50 extra
1-4 pages	£41	£73	£111	£153	£197	£41
5-8 pages	£73	£105	£154	£206	£254	£73
9-16 pages	£77	£115	£183	£245	£314	£77
17-24 pages	£83	£129	£211	£294	£385	£83
Each Additional 1-8 pages	£14	£18	£31	£53	£64	£14

Methods of payment

If you live in Belgium, France, Germany, Ireland, Italy, Portugal, Spain or Sweden and are not registered for VAT we are required to charge VAT at the rate applicable in your country of residence. If you live in any other country in the EU and are not registered for VAT you will be charged VAT at the UK rate.

If registered, please quote your VAT number, or the VAT

number of any agency paying on your behalf if it is registered.

VAT Number:

Payment **must** be included with your order, please tick which method you are using:

- ☐ Cheques should be made out to Cambridge University Press.
- ☐ Payment by someone else. Please enclose the official order when returning this form and ensure that when the order is sent it mentions the name of the journal and the article title.
- ☐ Payment may be made by any credit card bearing the Interbank Symbol.

Card Number:

Expiry Date (mm/yy):

Card Verification Number:

The card verification number is a 3 digit number printed on the **back** of your **Visa** or **Master card**, it appears after and to the right of your card number. For **American Express** the verification number is 4 digits, and printed on the **front** of your card, after and to the right of your card number.

Signature of
card holder:

Amount

(Including VAT

if appropriate): £

Please advise if address registered with card company is different from above

City and wadi: exploring the environs of Jerash

Q1

Genevieve Holdridge^{1,2,*}, Søren M. Kristiansen¹,
Achim Lichtenberger³, Rubina Raja^{4,2} & Ian A. Simpson⁵

Archaeological excavations of urban sites in the Mediterranean have a long history, but only recently are geoarchaeology-based landscape studies beginning to provide insight into the complex and dynamic relationships between cities and their hinterlands. Such studies are becoming increasingly important as archaeologists seek to understand how cities sustained themselves, demonstrating resilience to both external shocks and long-term environmental changes, and, conversely, how cities contributed to their own demise through the over-exploitation of environmental resources (Barthel & Isendahl 2013; Butzer *et al.* 2013; Kintigh *et al.* 2014; Nelson *et al.* 2016).

The site of Jerash, Jordan (Figure 1), occupied from the Hellenistic to the Islamic period, is one of the major cities of the Roman Decapolis. The longevity of the classical city came to an end in AD 749 as a consequence of major seismic activity along the Jordan Valley's strike-slip fault (Lichtenberger & Raja 2015). Bisected by the River Chrysorrhoas ('the river of gold', now Wadi Suf), the city's wider significance is also tied to its location in one of the fertile areas of the northern highlands of Jordan with a good water supply and a number of spring lines.

A geoarchaeological survey of the urban area and its surrounding watershed demonstrates that the underlying soils comprise Cambisols (red Mediterranean soils), which were formed primarily as a result of aeolian deposition during the late Pleistocene, and Fluvisols adjacent to the wadi (Lucke *et al.* 2014; Figure 2). More critically, these surveys have identified spatial and temporal series of late Holocene colluvial and fluvial deposits on lower slopes within the city and along the Wadi Suf. The purpose of our research programme is to determine the possible factors, such as land use or climate change that caused the movement of these sediments, and how this reflects sustainability or mismanagement of this urban centre. The geoarchaeological results are related to the archaeological and historical information about the urban development of the site. Within a context of climate change, our competing

¹ Department of Geoscience, Høegh-Guldbergs Gade 2, Building 1671, 8000 Aarhus C, Denmark

² School of Culture and Society—Centre for Urban Network Evolutions (UrbNet), Moesgård Allé 20, Building 1671, 2138270 Højbjerg, Denmark

³ Westfälische Wilhelms-Universität Münster, Institut für Klassische Archäologie und Christliche Archäologie/Archäologisches Museum, Domplatz 20–22, D-48143 Münster, Germany

⁴ School of Culture and Society—Classical Archaeology, Jens Christian Skous Vej 5, Building 1461, 8000 Aarhus C, Denmark

⁵ Centre for Environment, Heritage and Policy, Biological and Environmental Sciences, Cottrell Building, University of Stirling, Stirling FK9 4LA, Scotland, UK

* Author for correspondence (Email: g.holdridge@geo.au.dk)

Figure 1. Overview of ancient Jerash. The city was continuously occupied from the Hellenistic to the Ummayyad period (first to eighth centuries AD) (Lichtenberger & Raja 2015).

hypotheses are that, as the city grew and developed, land-resource demands contributed to enhanced sediment movement; alternatively, city-resource demands enhanced landscape management, and it was only with the demise of the city that sediment movement accelerated.

Fundamental to our study is the development of robust chrono-stratigraphies within and outside of the ancient city, which entail constraining short-term events and identifying long-term change. We have identified, described and sampled three profiles in the upper, middle and lower sections of Wadi Suf (Figure 3). Three profiles have also been examined in the north-west quarter of Jerash, which offer contrasting colluvial, alluvial and anthropogenic sedimentary sequences for analysis (Figure 4).

Establishing absolute and relative geochronologies for these profiles in this landscape is challenging. For example, charcoal radiocarbon dates are inherently older than the sediments in which they are deposited, and the limestone geology does not contain feldspar and quartz grains, which are needed to produce optically stimulated luminescence (OSL) dates. Therefore, our application of OSL as a dating tool is critically dependent on the late Pleistocene aeolian-deposited quartz grains, together with source contributions from local sandstone outcrops. Despite these potential limitations, our pilot work has established that luminescence is evident in the colluvial and alluvial

Wadi Suf Watershed

City and wadi

COLOUR

Figure 2. The watershed of Wadi Suf and the ancient and present city of Jerash, Jordan (modified from Hammouri & El-Naqa 2008; DEM from USGS, 2011).

Figure 3. Off-site investigations of the Wadi Suf (left). Lower wadi section (right).

material (Figure 5). The calendar year age estimate for the juxtaposition between bedrock and fluvial deposition in the upper Wadi Suf is AD 605 ± 107 (SUTL2878), and perhaps gives an early indication that major movement of sediments in this part of the landscape occurred before the earthquake that destroyed the city in AD 749. It coincides with desiccating climatic conditions that occurred *c.* AD 100–700 (Orland *et al.* 2009).

Figure 4. On-site sediment stratigraphy showing two sequences of introduced red soils. Our hypothesis is that these were for small garden plots, a practice still evident today.

Our analytical work includes quantifying particle size distribution to characterise the nature of past water- and slope-flow regimes, which reflect the spatial and temporal variation of stability, deposition and erosion (Figure 5). We also examine land-use modification such as the anthropogenic transport of soils to create stable growing mediums for gardens and urban farming. Preliminary integrated geochemical and micromorphological characterisation of these anthrosols within the city has demonstrated enhanced lead and copper levels (based on XRF analyses), and high fine black carbon frequencies, which suggest enhanced air pollution levels resulting from metallurgy (Figure 6). By analysing upstream and downstream sediments, we will establish the spatial extent of pollution in the wider surroundings of the city.

COLOUR

Figure 5. Particle size distribution ranges from a profile located in the headwaters of Wadi Suf.

COLOUR

Figure 6. Thin-section micromorphology image of on-site red Mediterranean soil showing enhanced frequencies of fine black carbon. This and associated enhanced lead (up to 22ppm) and copper levels (up to 48ppm) indicate air pollution within the city.

By developing detailed chrono-stratigraphies for on- and off-site locations at Jerash, we anticipate gaining a new understanding of both the beneficial and adverse environmental effects of early urban centres in the classical world (Butzer *et al.* 2013), and how urban areas and their immediate hinterlands were sometimes sustained and managed, and sometimes damaged and abandoned.

Acknowledgements

The work was done within the framework of the Danish-German Jerash Northwest Quarter Project of the Universities of Aarhus and Münster. We thank the Department of Antiquities in Amman and Jerash for permission and support. Thanks are also due to the funding bodies, which have supported the project: the Carlsberg Foundation, the Danish National Research Foundation (grant 119), Deutsche Forschungsgemeinschaft, the EliteForsk Prize (Danish Ministry of Education and Research) and the H.P. Hjerl Hansens Mindefondet for Dansk Palæstinaforskning.

References

- BARTHEL, S. & C. ISENDAHL. 2013. Urban gardens, agriculture, and water management: sources of resilience for long-term food security in cities. *Ecological Economics* 86: 224–34. <https://doi.org/10.1016/j.ecolecon.2012.06.018>
- BUTZER, K.W., E. BUTZER & S. LOVE. 2013. Urban geoarchaeology and environmental history at the Lost City of the Pyramids, Giza: synthesis and review. *Journal of Archaeological Science* 40: 3340–66. <https://doi.org/10.1016/j.jas.2013.02.018>
- HAMMOURI, N. & A. EL-NAQA. 2008. GIS-based hydrogeological vulnerability mapping of groundwater resources in Jerash area—Jordan. *Geofisica Internacional* 47: 85–97.
- KINTIGH, K.W., J.H. ALTSCHUL, M.C. BEAUDRY, R.D. DRENNAN, A.P. KINZIG, T.A. KOHLER, W.F. LIMP, H.D.G. MASCHNER, W.K. MICHENER, T.R. PAUKETAT, P. PEREGRINE, J.A. SABLOFF, T.J. WILKINSON, H.T. WRIGHT & M.A. ZEDER. 2014. Grand challenges for archaeology. *American Antiquity* 79: 5–24. <https://doi.org/10.7183/0002-7316.79.1.5>
- LICHTENBERGER, A. & R. RAJA. 2015. New archaeological research in the northwest quarter of Jerash and its implications for the urban development of Roman Gerasa. *American Journal of Archaeology* 119: 483–500. <https://doi.org/10.3764/aja.119.4.0483>
- LUCKE, B., H. KEMNITZ, R. BÄUMLER & M. SCHMIDT. 2014. Red Mediterranean soils in Jordan: new insights in their origin, genesis, and role as environmental archives. *Catena* 112: 4–24. <https://doi.org/10.1016/j.catena.2013.04.006>
- NELSON, M.C., S.E. INGRAM, A.J. DUGMORE, R. STREETER, M.A. PEEPLES, T.H. MCGOVERN, M. HEGMON, J. ARNEBORG, K.W. KINTIGH, S. BREWINGTON, K.A. SPIELMANN, I.A. SIMPSON, C. STRAWHACKER, L.E.L. COMEAU, A. TORVINEN, C.K. MADSEN, G. HAMBRECHT & K. SMIAROWSKI. 2016. Climate challenges, vulnerabilities and food security. *Proceedings of the National Academy of Sciences* 113: 298–303. <https://doi.org/10.1073/pnas.1506494113>
- ORLAND, I.J., M. BAR-MATTHEWS, N.T. KITA, A. AYALON, A. MATTHEWS & J.W. VALLEY. 2009. Climate deterioration in the Eastern Mediterranean as revealed by ion microprobe analysis of a speleothem that grew from 2.2 to 0.9 ka in Soreq Cave, Israel. *Quaternary Research* 71: 27–35. <https://doi.org/10.1016/j.yqres.2008.08.005>
- USGS. 2011. Global Multi-Resolution Terrain Elevation Data 2010 (GMTED2010N30E030_075). Sioux Falls: United States Geological Survey Earth Resources Observation and Science (EROS) Center. Available at <https://lta.cr.usgs.gov/GMTED2010> (accessed 22 May 2017).