

Lars Schropp
Associate Professor
Department of Dentistry and Oral Health - Section for Oral Radiology and
Endodontics
Type of address: Postal address.
Vennelyst Boulevard 9
1613, 116
8000
Aarhus C
Denmark
Email: schropp@dent.au.dk
Mobile: +4526160911



Publications

Low-dose CBCT protocols in implant dentistry: A systematic review

Kaaber, L. A., Matzen, L. H., Schropp, L. & Spin-Neto, R., Sept 2024, In: Oral surgery, oral medicine, oral pathology and oral radiology. 138, 3, p. 427-439 13 p.

Cone Beam CT-undersøgelse i tandlægepraksis

Matzen, L. H., Spin-Neto, R., Kruse, C., Wenzel, A. & Schropp, L., Apr 2024, In: Tandlægebladet. 128, 4, p. 300-309

Kunstig intelligens til billedoptimering og diagnostik i odontologien

Pauwels, R., Spin-Neto, R., Matzen, L. H. & Schropp, L., Apr 2024, In: Tandlægebladet. 128, 4, p. 310-318

Røntgenoptagelser i hverdagen

Schropp, L. & Matzen, L. H., Apr 2024, In: Tandlægebladet. 128, 4, p. 294-299

Use of artificial intelligence software in dental education: A study on assisted proximal caries assessment in bitewing radiographs

Schropp, L., Sørensen, A. P. S., Devlin, H. & Matzen, L. H., Apr 2024, In: European Journal of Dental Education. 28, 2, p. 490-496 7 p.

Longitudinal study of endodontic and periapical status of an adult Danish population examined in 2009, 2014, and 2019: a repeated cohort study

Razdan, A., Schropp, L., Væth, M. & Kirkevang, L.-L., Mar 2024, In: Acta Odontologica Scandinavica. 83, p. 20-29 10 p.

Jawbone measurements of edentulous sites related to implant planning using magnetic resonance imaging compared to cone beam computed tomography: An ex vivo study

Fuglsig, J. M. D. C. E. S., Schropp, L., Hansen, B., Wenzel, A. & Spin-Neto, R., Feb 2024, In: Clinical Oral Implants Research. 35, 2, p. 179-186 8 p.

Kunstig intelligens i odontologien

Schropp, L., Jan 2024, In: Aktuell Nordisk Odontologi. 49, 1, p. 174-193

Diagnostic image quality of low-dose, standard, and high-resolution CBCT for alveolar bone measurements: an ex vivo study in human specimens

Kaaber, L. A., Matzen, L. H., Spin-Neto, R. & Schropp, L., 2024.

Impact of dose-lowering CBCT protocols on height and width measurements in the mandible – an ex vivo study in human cadaveric specimens

Schropp, L., Kaaber, L. A., Spin-Neto, R. & Matzen, L. H., 2024.

Low-dose, standard, and high-resolution cone beam computed tomography for alveolar bone measurements related to implant planning: An ex vivo study in human specimens

Kaaber, L. A., Matzen, L. H., Spin-Neto, R. & Schropp, L., 2024, (E-pub ahead of print) In: Clinical Oral Implants Research.

Risk factors observed in 2-dimensional radiographs for permanent injury of the inferior alveolar nerve after removal of mandibular third molars: a case-control study

Matzen, L. H., Petersen, L. B., Schropp, L., Hermann, L. & Wenzel, A., Oct 2023, In: Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 136, 4, p. 490-499 10 p.

Root filled teeth in two parallel Danish cohorts: A repeated longitudinal cohort study

Razdan, A., Schropp, L., Væth, M. & Kirkevang, L.-L., May 2023, In: International Endodontic Journal. 56, 5, p. 558-572 15 p.

Korte implantater til protetisk rehabilitering af den atrofiske posteriore mandibel

Jensen, S. S., Schropp, L. & Starch-Jensen, T., Apr 2023, In: Tandlægebladet. 127, 4, p. 318-323

Alveolar bone measurements in magnetic resonance imaging compared with cone beam computed tomography: a pilot, ex-vivo study

Fuglsig, J. M. D. C. E. S., Hansen, B., Schropp, L., Nixdorf, D. R., Wenzel, A. & Spin-Neto, R., 2023, In: Acta Odontologica Scandinavica. 81, 3, p. 241-248 8 p.

Behandlingsplanlægning i forbindelse med implantatindsættelse i den atrofiske posteriore mandibel med fokus på den radiologiske undersøgelse

Schropp, L., Jensen, S. S. & Starch-Jensen, T., 2023, In: Tandlægebladet. 127, 4, p. 308-316

Vertikal knogleopbygning af den atrofiske posteriore mandibel før implantatindsættelse ved hjælp af sandwich-osteotomi

Starch-Jensen, T., Schropp, L. & Jensen, S. S., 2023, In: Tandlægebladet. 127, 4, p. 324-331

Behandlingsplanlægning før lateral genopbygning af processus alveolaris med henblik på implantatbehandling

Schropp, L., Jensen, S. S. & Starch-Jensen, T., May 2022, In: Tandlægebladet. 126, 5, p. 410 8 p.

Reliability of radiographic findings in large FOV CBCTs of mandibular third molars as basis for pre-operative patient information

Matzen, L. H., Schropp, L., Hermann, L., Ingerslev, J. & Wenzel, A., Apr 2022, In: Acta Odontologica Scandinavica. 80, 3, p. 210-217 8 p.

Trends of endodontic and periapical status in adult Danish populations from 1997 to 2009: A repeated cross-sectional study

Razdan, A., Jungnickel, L., Schropp, L., Væth, M. & Kirkevang, L.-L., Feb 2022, In: International Endodontic Journal. 55, 2, p. 164-176 13 p., 13658.

Alveolar bone measurements in magnetic resonance imaging compared with cone beam computed tomography: ex vivo study

Fuglsig, J. M. D. C. E. S., Hansen, B., Schropp, L., Nixdorf, D. R., Wenzel, A. & Spin-Neto, R., 2022.

Magnetic resonance imaging compared to cone beam computed tomography for jawbone measurements

Fuglsig, J. M. D. C. E. S., Hansen, B., Schropp, L., Nixdorf, D. R., Wenzel, A. & Spin-Neto, R., 2022, 1 p.

Root-filled teeth in two parallel Danish cohorts. A repeated cohort study

Razdan, A., Schropp, L., Væth, M. & Kirkevang, L.-L., 2022.

Root-filled teeth in two parallel danish cohorts. A repeated coort study

Razdan, A., Schropp, L., Væth, M. & Kirkevang, L.-L., 2022.

Radiologi: basisundersøgelser

Schropp, L. & Wenzel, A., 9 Jun 2021, *Tandklinikassistent: hovedforløb*. 4. ed. Kbh: Praxis - Erhvervskolernes Forlag, p. 207-263

Accuracy of cone beam computed tomography is limited at implant sites with a thin buccal bone: A laboratory study
Domic, D., Bertl, K., Ahmad, S., Schropp, L., Hellén-Halme, K. & Stavropoulos, A., Apr 2021, In: Journal of Periodontology. 92, 4, p. 592-601 10 p.

Sella Turcica Area and Location of Point Sella in Cephalograms Acquired with Simulated Patient Head Movements
Svystun, O., Schropp, L., Wenzel, A. & Spin-Neto, R., Mar 2021, In: Journal of Contemporary Dental Practice. 22, 3, p. 207-214 8 p.

MRI compared with CBCT for dental implant planning: a pilot, ex-vivo study on alveolar bone measurements
Fuglsig, J. M. D. C. E. S., Hansen, B., Schropp, L., Nixdorf, D. R., Wenzel, A. & Spin-Neto, R., 2021.

Simulated patient head movements have impact on sella turcica area and location of point sella in cephalograms
Svystun, O., Schropp, L., Wenzel, A. & Spin-Neto, R., 2021.

Oral radiologi: supplement til basisundersøgelser
Schropp, L. & Wenzel, A., 22 Sept 2020, København: Praxis - Erhvervskolernes Forlag. 76 p.

Image-stitching artefacts and distortion in CCD-based cephalograms and their association with sensor type and head movement; ex vivo study
Svystun, O., Wenzel, A., Schropp, L. & Spin-Neto, R., Mar 2020, In: Dento maxillo facial radiology. 49, 3, 8 p., 20190315.

Prevalence and severity of image-stitching artifacts in charge-coupled device-based cephalograms of orthodontic patients
Svystun, O., Schropp, L., Wenzel, A., Fuglsig, J. M. D. C. E. S., Pedersen, M. H. & Spin-Neto, R., Feb 2020, In: Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 129, 2, p. 158-164 7 p.

Effect of computer-assisted-learning and simulation clinics on dental students' cognitive and performance skills: panoramic image errors related to patient's head position
Wenzel, A., Matzen, L. H., Spin-Neto, R. & Schropp, L., 2020, In: Dento maxillo facial radiology. 49, 7, 8 p., 20200154.

Long-term radiographic assessment of titanium implants installed in maxillary areas grafted with autogenous bone blocks using two predefined sets of success criteria
Fuglsig, J. M. D. C. E. S., Schropp, L., Thorn, J. J., Ingerslev, J., Wenzel, A. & Spin-Neto, R., Oct 2019, In: Clinical Implant Dentistry and Related Research. 21, 5, p. 845-852 8 p.

Is detection accuracy of buccal bone level at implants in CBCT dependent on bone thickness?
Domic, D., Bertl, K., Ahmad, S., Schropp, L., Hellén-Halme, K. & Stavropoulos, A., 25 Sept 2019, In: Clinical Oral Implants Research. 30, 19, p. 6 1 p.

Marginal bone loss and resorption of second molars related to maxillary third molars in panoramic images compared with CBCT
Poulsen, L. H., Wenzel, A., Schropp, L. & Matzen, L. H., May 2019, In: Dentomaxillofacial Radiology. 48, 4, 20180313.

Changes in endodontic status in the adult Danish population from 1997 to 2009. A repeated cross-sectional study
Jungnickel, L., Schropp, L., Væth, M., Ørstavik, D., Wenzel, A., Kruse, C. & Kirkevang, L.-L., 2019.

Does CBCT change the treatment of impacted maxillary third molars
Hermann, L., Wenzel, A., Schropp, L. & Matzen, L. H., 2019.

Image-stitching artefacts in CCD-based cephalograms and their association with head movement. An ex vivo study.
Svystun, O., Wenzel, A., Schropp, L. & Spin-Neto, R., 2019.

Impact of CBCT on treatment decision related to surgical removal of impacted maxillary third molars: does CBCT change the surgical approach?

Hermann, L., Wenzel, A., Schropp, L. & Matzen, L. H., 2019, In: *Dento maxillo facial radiology*. 48, 8, 8 p., 20190209.

Long-term radiographic assessment of implants installed in maxillary areas grafted with autogenous bone blocks using predefined sets of success criteria

Fuglsig, J. M. D. C. E. S., Schropp, L., Wenzel, A. & Spin-Neto, R., 2019.

Mandibular canal-related parameters interpreted in panoramic images and CBCT of mandibular third molars as risk factors to predict sensory disturbances of the inferior alveolar nerve

Matzen, L. H., Petersen, L. B., Schropp, L. & Wenzel, A., 2019, In: *International Journal of Oral and Maxillofacial Surgery*. 48, 8, p. 1094-1101 8 p.

Severe image-stitching artefacts and distortion in CCD-based cephalograms and the association with sensor type and head movement: ex vivo study

Svystun, O., Schropp, L., Wenzel, A. & Spin-Neto, R., 2019.

Treatment decision related to impacted maxillary third molars comparing panoramic imaging and cone beam CT

Hermann, L., Wenzel, A., Schropp, L. & Matzen, L. H., 2019.

Accuracy of detecting and measuring buccal bone thickness adjacent to titanium dental implants - a cone beam computed tomography in vitro study

Liedke, G. S., Spin-Neto, R., da Silveira, H. E. D., Schropp, L., Stavropoulos, A. & Wenzel, A., Nov 2018, In: *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*. 126, 5, p. 432-438 7 p.

Agreement Between Panoramic Imaging and CBCT in Recording Factors with Relevance Prior to Removal of Maxillary Third Molars, and Observer Variation

Schropp, L., Wenzel, A., Poulsen, L. H. & Matzen, L. H., 2018, p. 79. 1 p.

An ex vivo study of automated motion artefact correction and the impact on cone beam CT image quality and interpretability

Spin-Neto, R., Matzen, L. H., Schropp, L. W., Sørensen, T. S. & Wenzel, A., 2018, In: *Dentomaxillofacial Radiology*. 47, 5, 10 p., 20180013.

Automated Motion Artefact Correction and the Impact on Cone Beam Computed Tomography Image Quality and Interpretability. An Ex Vivo Study

Spin-Neto, R., Schropp, L., Matzen, L. H., Sørensen, T. S. & Wenzel, A., 2018, p. 22. 1 p.

Image-Stitching Artefacts in CCD-Based Cephalograms and Their Association with Head Movement. An Ex Vivo Study

Svystun, O., Schropp, L., Wenzel, A. & Spin-Neto, R., 2018, p. 19. 1 p.

Long Term Radiographic Follow-Up of Titanium Implants Installed in Maxillary Areas Grafted with Autogenous Bone Blocks

Fuglsig, J. M. D. C. E. S., Schropp, L., Thorn, J. J., Ingerslev, J., Wenzel, A. & Spin-Neto, R., 2018, p. 84. 1 p.

Pathological Findings in Panoramic Images as Indicators for Subsequent Findings In CBCT Concerning Maxillary Third Molars

Hermann, L., Wenzel, A., Schropp, L. & Matzen, L. H., 2018, p. 55-56. 2 p.

Prediction of Post-Operative Sensory Disturbances by Panoramic Images and CBCT of the Mandibular Third Molar

Matzen, L. H., Petersen, L. B., Schropp, L. & Wenzel, A., 2018, p. 78. 1 p.

Prevalence And Characteristics Of Image-Stitching Artefacts In CCD-Based Cephalograms Of Orthodontic Patients

Wenzel, A., Svystun, O., Spin-Neto, R. & Schropp, L., 2018, p. 24. 1 p.

Accuracy and Reliability of Intraoral Radiographs in Determining the Cleanliness of Root Canals after Endodontic Retreatment

Schropp, L. & Kirkevang, L.-L., 9 Aug 2017, In: *European Endodontic Journal*. 2, 1, 5 p., 20.

Use of cone beam computed tomography to assess significant imaging findings related to mandibular third molar impaction

Matzen, L. H., Schropp, L., Spin-Neto, R. & Wenzel, A., 2 Aug 2017, In: *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*. 124, 5, p. 506-516 11 p.

Accuracy of video observation and a three-dimensional head tracking system for detecting and quantifying robot-simulated head movements in cone beam computed tomography

Spin-Neto, R., Matzen, L. H., Schropp, L., Sørensen, T. S., Gotfredsen, E. & Wenzel, A., 28 Feb 2017, In: *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*. 123, 6, p. 721-728 8 p.

Detection of patient movement during CBCT examination using video observation compared with an accelerometer-gyroscope tracking system

Spin-Neto, R., Matzen, L. H., Schropp, L. W., Gotfredsen, E. & Wenzel, A., 27 Jan 2017, In: *Dentomaxillofacial Radiology*. 46, 2, p. 20160289 20160289.

Radiographic signs of pathology determining removal of an impacted mandibular third molar assessed in a panoramic image or CBCT

Matzen, L. H., Schropp, L., Spin-Neto, R. & Wenzel, A., Jan 2017, In: *Dentomaxillofacial Radiology*. 46, 1, 20160330.

Canal-related parameters interpreted in CBCT of mandibular third molars as markers to predict sensory disturbances

Matzen, L. H., Petersen, L. B., Schropp, L. & Wenzel, A., 2017, p. OP-47. 1 p.

Correcting Motion Artefacts in CBCT and Impact on Image Quality

Spin-Neto, R., Matzen, L. H., Schropp, L., Sangild, T. & Wenzel, A., 2017, p. 6-6. 1 p.

Factors affecting the buccal bone thickness accuracy measured adjacent to titanium implants in CBCT images

Liedke, G. S., Spin-Neto, R., Schropp, L., da Silveira, H. E. D., Stavropoulos, A. & Wenzel, A., 2017, *Book of Abstracts The 21st International Congress of Dental and Maxillo-Facial Radiology IADMFR 2017 26-29 April 2017, KAOHSIUNG*. p. 40-40 1 p. OP-40

Factors affecting the possibility to detect buccal bone condition around dental implants using cone beam computed tomography

Liedke, G. S., Spin-Neto, R., da Silveira, H. E. D., Schropp, L., Stavropoulos, A. & Wenzel, A., 22 Jul 2016, In: *Clinical Oral Implants Research*. 28, 9, p. 1-7 7 p.

Factors related to the mandibular third molar with impact on root resorption of the second molar as observed in CBCT

Schropp, L., Matzen, L. H., Spin-Neto, R. & Wenzel, A., Jun 2016. 1 p.

Timing of single implant placement and long-term observation of marginal bone levels

Schropp, L. & Wenzel, A., Jun 2016, In: *European Journal of Oral Implantology*. 9 (Suppl1), 2, p. S107-S122 16 p.

Movement characteristics in young patients and the impact on CBCT image quality

Spin-Neto, R., Matzen, L. H., Schropp, L., Gotfredsen, E. & Wenzel, A., 26 Feb 2016, In: *Dentomaxillofacial Radiology*. 45, 4, p. 20150426 7 p., 20150426.

CBCT-interpreted bony non-separation between the mandibular canal and the root complex of the mandibular third molar as a marker to predict neurosensoric disturbances following surgical removal. A pilot study

Petersen, L. B., Matzen, L. H., Schropp, L. & Wenzel, A., 2016.

Comparison of metal-ceramic and all-ceramic three-unit posterior fixed dental prostheses – a 3-year randomized clinical trial

Nicolaisen, M. H., Bahrami Møller, G., Schropp, L. & Isidor, F., 2016, In: International Journal of Prosthodontics. 29, 3, p. 259-64 6 p.

Functional and esthetic comparison of metal-ceramic and all-ceramic posterior 3-unit fixed dental prostheses

Nicolaisen, M. H., Bahrami Møller, G., Schropp, L. & Isidor, F., 2016, In: International Journal of Prosthodontics. 29, 5, p. 473-81 9 p.

Observer reproducibility of radiographic factors determining removal of a mandibular third molar in panoramic and CBCT imaging

Wenzel, A., Schropp, L., Spin-Neto, R. & Matzen, L. H., 2016.

Patient movement detection comparing video observation with a novel three-dimensional tracking method

Spin-Neto, R., Matzen, L. H., Schropp, L., Gotfredsen, E. & Wenzel, A., 2016. 1 p.

Radiographic pathological findings decisive for removal of mandibular third molars in panoramic images compared to CBCT

Matzen, L. H., Schropp, L., Spin-Neto, R. & Wenzel, A., 2016.

Factors affecting CBCT-based buccal bone conspicuity around dental implants

Liedke, G., Spin-Neto, R., Schropp, L. & Wenzel, A., Aug 2015. 1 p.

Movement characteristics in young patients and the impact on CBCT image quality

Spin-Neto, R., Matzen, L. H., Schropp, L., Gotfredsen, E. & Wenzel, A., Aug 2015. 1 p.

Factors affecting patient movement and re-exposure in cone beam computed tomography examination

Spin-Neto, R., Matzen, L. H., Schropp, L., Gotfredsen, E. & Wenzel, A., 3 Feb 2015, In: Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 119, 5, p. 572-578 7 p.

Fate of the buccal bone at implants placed early, delayed, or late after tooth extraction analyzed by cone beam CT: 10-year results from a randomized, controlled, clinical study

Schropp, L., Wenzel, A., Spin-Neto, R. & Stavropoulos, A., 2015, In: Clinical Oral Implants Research. 26, p. 492-500 9 p.

Papilla dimension and soft tissue level after early vs. delayed placement of single-tooth implants: 10-year results from a randomized controlled clinical trial

Schropp, L. & Isidor, F., 2015, In: Clinical Oral Implants Research. 26, p. 278-286 9 p.

Timing of single implant placement and long-term observation of marginal bone levels

Schropp, L. & Wenzel, A., 2015.

Recognizing patient movement and its impact on CBCT image quality

Spin-Neto, R., Schropp, L., Matzen, L. H., Gotfredsen, E. & Wenzel, A., Aug 2014. 1 p.

Radiographic observers' ability to recognize patient movement during cone beam CT

Spin-Neto, R., Matzen, L. H., Schropp, L., Liedke, G. S., Gotfredsen, E. & Wenzel, A., 26 Feb 2014, In: Dentomaxillofacial Radiology. 43, 4, p. 20130449

Early, delayed, or late single implant placement: 10-year results from a randomized controlled clinical trial

Schropp, L., Wenzel, A. & Stavropoulos, A., 2014, In: Clinical Oral Implants Research. 25, 12, p. 1359-1365 7 p.

Impact of motion artefacts on CBCT image quality: a pilot study

Wenzel, A., Spin-Neto, R., Schropp, L. & Matzen, L. H., 2014. 1 p.

Planning of dental implant size with digital panoramic radiographs, CBCT-generated panoramic images, and CBCT cross-sectional images

Correa, L. R., Spin-Neto, R., Stavropoulos, A., Schropp, L., da Silveira, H. E. D. & Wenzel, A., 2014, In: *Clinical Oral Implants Research*. 25, 6, p. 690-695 6 p.

Radiographic observers' ability to recognize patient movement during CBCT

Spin-Neto, R., Matzen, L. H., Schropp, L., Liedke, G., Gotfredsen, E. & Wenzel, A., 2014. 1 p.

Implantater kontra traditionel protetisk rehabilitering

Schropp, L. & Størksen, K., Feb 2013, In: *Tandlægebladet*. 117, 2, p. 112-123 12 p.

Implantater kontra traditionel protetisk rehabilitering

Schropp, L. & Størksen, K., Feb 2013, In: *Norske Tannlegeforenings Tidende*. 123, 2, p. 94-103 10 p.

Att välja mellan implantat och traditionell protetik

Schropp, L. & Størksen, K., Jan 2013, In: *Tandlaekartidningen*. 105, 2, p. 66-79 14 p.

Validiteten af voks og akryl som simulationsmaterialer for blødt-vævet anvendt i in vitro-røntgenstudier

Schropp, L., Alyass, N. S., Wenzel, A. & Stavropoulos, A., Jan 2013, In: *Tandlægebladet*. 117, 1 p.

Biological complications after early/delayed/late implant placement: 10-year result from a RCT

Stavropoulos, A., Wenzel, A. & Schropp, L., 2013.

Implantit tai perinteinen protetiikka - päätös on aina potilaskohtainen

Schropp, L. & Størksen, K., 2013, In: *Suomen Hammaslaakarilehti*. 4, p. 26-37 12 p.

Peri-implant conditions 10 years after early/dealyed/late single implant placement

Schropp, L., Wenzel, A. & Stavropoulos, A., 2013.

Técnicas radiográficas aplicadas á pesquisa em Implantodontia – racionalização

Spin-Neto, R., Stavropoulos, A., Schropp, L. & Wenzel, A., 2013, *Excelência Clínica em Implantodontia*. Bezerra, F. & Romanos, G. (eds.). 1 ed. Sao Paulo, Brazil: Quintessence Publishing, Vol. 1. p. 135-159 25 p.

Fate of buccal bone 10 years after early/delayed/late implant placement

Stavropoulos, A., Nielsen, H. K., Spin-Neto, R., Wenzel, A. & Schropp, L., 11 Oct 2012. 1 p.

Huskeregel (RB–RB/LB–LB) til røntgenoptagelse af tandimplantater

Schropp, L., Stavropoulos, A., Spin-Neto, R. & Wenzel, A., Oct 2012, In: *Tandlægebladet*. 116, 12, p. 880-887 8 p.

Similar Marginal Precision of Zirconia- and Metal-Ceramic Fixed Dental Protheses

Nicolaisen, M. H., Bahrami, G., Schropp, L. & Isidor, F., 22 Jun 2012. 1 p.

Ny, flot illustreret bog om moderne præparationsprincipper

Schropp, L., May 2012, In: *Tandlægebladet*. 116, p. 406 1 p.

Radiographic Bone Density around Dental Implants with Surface Modification by Laser Ablation followed by Hydroxyapatite Coating: A Study in Rabbit Tibiae.

Cazelato, T., Spin-Neto, R., Morais, J., Schropp, L., Wenzel, A., Marcantonio Junior, E. & Faeda, R., Mar 2012. 1 p.

Early or delayed single implants in extraction sockets: 10-year results.

Stavropoulos, A., Sculean, A. & Schropp, L., 2012. 1 p.

Evaluation of the RB-RB/LB-LB mnemonic rule for recording optimally projected intraoral images of dental implants: an in vitro study

Schropp, L., Stavropoulos, A., Spin-Neto, R. & Wenzel, A., 2012, In: Dentomaxillofacial Radiology. 41, 4, p. 298-304 7 p.

Immediat implantation i tekst og billeder

Schropp, L., 2012, In: Tandlægebladet. 116, 11, p. 794 1 p.

Implant image quality in dental radiographs recorded using a customized imaging guide or a standard film holder

Schropp, L., Stavropoulos, A., Spin-Neto, R. & Wenzel, A., 2012, In: Clinical Oral Implants Research. 23, 1, p. 55-59

Kvalitet af implantatrøntgenbilleder taget ved hjælp af en individuelt fremstillet "guide" eller en standard filmholder

Schropp, L., Stavropoulos, A., Spin-Neto, R. & Wenzel, A., 2012, In: Tandlægebladet. 116, 5, p. 339 1 p.

Radiographic Techniques in Implant Research

Stavropoulos, A., Schropp, L., Spin-Neto, R. & Wenzel, A., 2012, *Implant Dentistry Research Guide: Basic, Translational and Clinical Research*. Ballo, A. (ed.). New York: Nova Science Publishers, Vol. 2012. p. 487-512 26 p. (Dental Science, Materials and Technology).

Validity of wax and acrylic as soft-tissue simulation materials used in in vitro radiographic studies

Schropp, L., Alyass, N. S., Wenzel, A. & Stavropoulos, A., 2012, In: Dentomaxillofacial Radiology. 41, 8, p. 686-690

Comparison of panoramic and conventional cross-sectional tomography for preoperative selection of implant size

Schropp, L., Stavropoulos, A., Gotfredsen, E. & Wenzel, A., 2011, In: Clinical Oral Implants Research. 22, 4, p. 424-429

Comparison of patients' satisfaction with aesthetics after treatment with a posterior 3-unit metal-ceramic fixed partial denture or all-ceramic fixed partial denture: a randomized controlled clinical trial

Nicolaisen, M. H., Bahrami, G., Schropp, L. & Isidor, F., 2011.

Implant image quality in radiographs using a customized imaging guide

Schropp, L., Stavropoulos, A., Spin-Neto, R. & Wenzel, A., 2011.

Remodeling of bone allografts compared to autografts used for anterior maxillary reconstruction evaluated by CBCT

Spin-Neto, R., Stavropoulos, A., Schropp, L., Gotfredsen, E., Marcantonio Jr., E. & Wenzel, A., 2011. 1 p.

Sammenligning mellem panorama- og tværnsnitstomografi anvendt til præoperativ bedømmelse af et implantats størrelse.

Schropp, L., Stavropoulos, A., Gotfredsen, E. & Wenzel, A., 2011, In: Tandlægebladet. 115, 6, p. 438 1 p.

Accuracy of two cone beam dental CT systems for the detection of periapical defects. An ex vivo study in pig jaws

Stavropoulos, A., Hintze, H., Schropp, L., Frydenberg, M. & Wenzel, A., 2010.

Kalibrering af røntgenbilleder ved hjælp af en reference-metalkugle har indflydelse på det præoperative valg af implantatstørrelse.

Schropp, L., Stavropoulos, A., Gotfredsen, E. & Wenzel, A., 2010, In: Tandlægebladet. 114, 1, p. 11 1 p.

Reduktion af alveolekam ved immediat implantatindsættelse

Schropp, L., 2010, In: Tandlægebladet. 114, 3, p. 200 1 p.

Calibration of radiographs by a reference metal ball affects preoperative selection of implant size

Schropp, L., Stavropoulos, A., Gotfredsen, E. & Wenzel, A., 2009, In: Clinical Oral Investigations. 13, 4, p. 375-381 7 p.

Comparison of panoramic and conventional tomography for preoperative selection of implant size

Schropp, L., Stavropoulos, A., Gotfredsen, E. & Wenzel, A., 2009.

Farvebestemmelse ved hjælp af digitale fotos og et billedbehandlingsprogram

Schropp, L., 2009, In: Tandlægebladet. 113, 9, p. 654 1 p.

Shade matching assisted by digital photography and computer software

Schropp, L., 2009, In: Journal of Prosthodontics. 18, 3, p. 235-241

Significance of calibration of radiographs with a reference metal ball in preoperative selection of implant size

Stavropoulos, A., Schropp, L., Gotfredsen, E. & Wenzel, A., 2009.

Clinical outcome and patient satisfaction following full-flap elevation for early and delayed placement of single-tooth implants: a 5-year randomized study

Schropp, L. & Isidor, F., 2008, In: International Journal of Oral & Maxillofacial Implants. 23, 4, p. 733-743 11 p.

Timing of implant placement relative to tooth extraction

Schropp, L. & Isidor, F., 2008, In: Journal of Oral Rehabilitation. 35, Supplement 1, p. 33-43 11 p.

Clinical and radiographic performance of delayed-immediate single-tooth implant placement associated with peri-implant bone defects. A 2-year prospective, controlled, randomized follow-up report

Schropp, L., Kostopoulos, L., Wenzel, A. & Isidor, F., 2005, In: J Clin Periodontol. 32, p. 480-487 8 p.

Interproximal papilla levels following early versus delayed placement of single-tooth implants: a controlled clinical trial

Schropp, L., Isidor, F., Kostopoulos, L. & Wenzel, A., 2005, In: Int J Oral Maxillofac Implants. 20, p. 753-761 9 p.

Software used to predict implant size from digital panoramic radiographs

Gotfredsen, E., Schropp, L. & Wenzel, A., 2005, *Computer Assisted Radiology and Surgery*. p. 1414-1414 1 p.

Patient experience of, and satisfaction with, delayed-immediate vs. delayed single-tooth implant placement

Schropp, L., Isidor, F., Kostopoulos, L. & Wenzel, A., 2004, In: Clinical Oral Implants Research. 15, p. 498-503 6 p.

Røntgenundersøgelse før og efter implantatbehandling

Schropp, L., 2004, In: Tandlægebladet. 108, p. 996-1003 8 p.

Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study

Schropp, L., Wenzel, A., Kostopoulos, L. & Karring, T., 2003, In: International Journal of Periodontics and Restorative Dentistry. 23, 4, p. 313-323 11 p.

Bone healing following immediate versus delayed placement of titanium implants into extraction sockets: a prospective clinical study

Schropp, L., Kostopoulos, L. & Wenzel, A., 2003, In: International Journal of Oral and Maxillofacial Implants. 18, 2, p. 189-199 11 p.

Bone healing and soft tissue contour changes following single-tooth extraction. A clinical and radiographic 12-month prospective study

Schropp, L., 2002.

Radiographic and clinical procedures in single-tooth implant treatment

Schropp, L., 2002, Århus: Aarhus Tandlægeskole. 85 p.

Impact of conventional tomography on prediction of the appropriate implant size

Schropp, L., Wenzel, A. & Kostopoulos, L., 2001, In: Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology. 92, 4, p. 458-463 6 p.

Projects

Sammenligning af helkeramiske broer med metalkeramiske broer posteriort

Fleming, M. (Participant), Bahrami Møller, G. (Participant), Isidor, F. (Project manager) & Schropp, L. (Participant)
01/01/2010 → 30/06/2011

Activities

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
8 Mar 2024

Konsulent Oral radiologi

Schropp, L. (Shareholder)
1 Jan 2024 → 31 Dec 2024

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
10 Nov 2023

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
27 Oct 2023

Heliyon (Journal)

Schropp, L. (Reviewer)
Jul 2023

Konsulent Oral radiologi

Schropp, L. (Shareholder)
Jul 2023 → 31 Dec 2023

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
16 Jun 2023

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
3 Mar 2023

Kursus: "Den firkantede tubus - Intraorale røntgenoptagelser"

Schropp, L. (Lecturer)
29 Nov 2022

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
25 Nov 2022

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)

28 Oct 2022

MRI-symposium

Wenzel, A. (Speaker), Matzen, L. H. (Speaker), Kruse, C. (Participant), Kirkevang, L.-L. (Participant), Schropp, L. (Participant), Christensen, J. H. (Speaker), Fuglsig, J. M. D. C. E. S. (Speaker), Johannsen, K. M. (Speaker), Villefrance, J. S. (Participant), Razdan, A. (Participant) & Poulsen, L. H. (Participant)
6 Oct 2022 → 7 Oct 2022

Kursus: "Intraorale røntgenbilleder og Panorama - teori og hands-on"

Schropp, L. (Lecturer) & Matzen, L. H. (Lecturer)
5 Oct 2022

International Journal of Environmental Research and Public Health (Journal)

Schropp, L. (Reviewer)
Oct 2022

European Congress of DentoMaxilloFacial Radiology 2022

Schropp, L. (Participant)
8 Jun 2022 → 10 Jun 2022

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
4 Mar 2022

Censor i Oral radiologi for tandlægestuderende

Schropp, L. (Examiner)
Jan 2022 → Feb 2022

EAO Digital Days

Schropp, L. (Participant)
12 Oct 2021 → 14 Oct 2021

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
8 Oct 2021

European Association for Osseointegration (Journal)

Schropp, L. (Reviewer)
Aug 2021

23rd International Congress of DentoMaxilloFacial Radiology (ICDMFR)

Schropp, L. (Participant)
28 Apr 2021 → 1 May 2021

CBCT-kursus for tandlæger - Statens Institut for Strålebeskyttelse SIS/Tandlægeforeningen

Schropp, L. (Lecturer)
23 Apr 2021

Clinical Oral Implants Research (Journal)

Schropp, L. (Reviewer)
1 Jan 2021 → 31 Dec 2021

International Journal of Oral & Maxillofacial Implants (Journal)

Schropp, L. (Reviewer)
1 Jan 2021 → 31 Dec 2021

Censor i Oral radiologi for tandlægestuderende

Schropp, L. (Examiner)
Jan 2021 → Feb 2021

Clinical and Experimental Dental Research (Journal)

Schropp, L. (Reviewer)
Nov 2020 → 31 Dec 2020

EAO-DGI Congress 2020

Schropp, L. (Participant)
5 Oct 2020 → 9 Oct 2020

European Association for Osseointegration (Journal)

Schropp, L. (Reviewer)
Apr 2020 → May 2020

Censor i Oral radiologi for tandlægestuderende

Schropp, L. (Examiner)
Jan 2020 → Feb 2020

Journal of Periodontology (Journal)

Schropp, L. (Reviewer)
Nov 2019 → 31 Dec 2020

EAO 28th Annual Scientific Meeting

Schropp, L. (Participant)
26 Sept 2019 → 28 Sept 2019

Censor i Oral radiologi for tandlægestuderende

Schropp, L. (Examiner)
Jan 2019

Journal of Clinical Periodontology (Journal)

Schropp, L. (Reviewer)
2019

Journal of Oral Rehabilitation (Journal)

Schropp, L. (Reviewer)
2019

Tandlægebladet (Journal)

Schropp, L. (Reviewer)
2019

EAO 27th Annual Scientific Meeting

Schropp, L. (Participant)
11 Oct 2018 → 13 Oct 2018

European Congress of DentoMaxilloFacial Radiology 2018

Schropp, L. (Participant)
13 Jun 2018 → 16 Jun 2018

Implantater og røntgen: vi er i en gråzone

Schropp, L. (Lecturer)
25 Jan 2017

Factors related to the mandibular third molar with impact on root resorption of the second molar as observed in CBCT

Schropp, L. (Lecturer)
18 Jun 2016

XV European Congress of Dentomaxillofacial Radiology

Schropp, L. (Participant)
15 Jun 2016 → 18 Jun 2016

CBCT kursus 3-dages teoretisk indføring

Schropp, L. (Participant)
26 Mar 2015 → 28 Mar 2015

EAO 23rd Annual Scientific Meeting

Schropp, L. (Participant)
25 Sept 2014 → 27 Sept 2014

SSPD & SFOP Annual Meeting

Schropp, L. (Participant)
10 Sept 2014 → 12 Sept 2014

Kursus i rekonstruktiv kæbekirurgi for tandlæger under videreuddannelse i tand-, mund- og kæbekirurgi : Immediat indsættelse af orale implantater

Schropp, L. (Speaker)
30 Sept 2013

EAO 21st Annual Scientific Meeting

Schropp, L. (Participant)
10 Oct 2012 → 13 Oct 2012

Immediat implantatindsættelse – er det bæredygtigt?

Schropp, L. (Lecturer)
5 Sept 2012

Årsmøde for Scandinavian Society for Prosthetic Dentistry

Schropp, L. (Organizer)
23 Aug 2012 → 25 Aug 2012

Journal of Clinical Periodontology (Journal)

Schropp, L. (Reviewer)
1 Jan 2012 → 31 Dec 2020

Årsmøde for Scandinavian Society for Prosthetic Dentistry

Schropp, L. (Participant)
18 Aug 2011 → 20 Aug 2011

89th General Session of the IADR

Schropp, L. (Participant)
16 Mar 2011 → 19 Mar 2011

Immediat implantatbehandling: Enkelttandserstatninger og mindre broer

Schropp, L. (Lecturer)

5 Nov 2010

International Journal of Dentistry (Journal)

Schropp, L. (Reviewer)

1 Jan 2010 → 31 Dec 2020

Bedømmelsesudvalg, lektorat, Københavns Universitet (Event)

Schropp, L. (Member)

Jan 2010 → Jun 2010

Oral implantologi

Schropp, L. (Lecturer)

25 Nov 2009

Oral implantologi

Schropp, L. (Lecturer)

24 Nov 2009

Hvornår skal et implantat indsættes efter tandekstraktion?

Schropp, L. (Lecturer)

17 Nov 2009

Oral implantologi

Schropp, L. (Lecturer)

11 Nov 2009

Oral implantologi

Schropp, L. (Lecturer)

10 Nov 2009

Keramik - fra kogsalt til lava

Schropp, L. (Lecturer)

20 Oct 2009

Årsmøde for Scandinavian Society for Prosthetic Dentistry

Schropp, L. (Participant)

27 Aug 2009 → 29 Aug 2009

17th International Congress of Dentomaxillofacial Radiology

Schropp, L. (Participant)

27 Jun 2009 → 2 Jul 2009

European Association for Osseointegration (Journal)

Schropp, L. (Reviewer)

1 Mar 2009 → 31 Dec 2020

Clinical Oral Investigations (Journal)

Schropp, L. (Reviewer)

1 Jan 2009 → 31 Dec 2020

Årsmøde for Scandinavian Society for Prosthetic Dentistry

Schropp, L. (Participant)

21 Aug 2008 → 23 Aug 2008

Kursus i rekonstruktiv kæbekirurgi for tandlæger under videreuddannelse i tand-, mund- og kæbekirurgi : Immediat indsættelse af orale implantater

Schropp, L. (Speaker)

13 Mar 2008 → 14 Mar 2008

Indian Journal of Dental Research (Journal)

Schropp, L. (Reviewer)

1 Jan 2008 → 31 Dec 2020

International Journal of Oral & Maxillofacial Implants (Journal)

Schropp, L. (Reviewer)

1 Jan 2008 → 31 Dec 2020

Bestyrelsen for Scandinavian Society for Prosthetic Dentistry (External organisation)

Schropp, L. (Secretary)

1 Jan 2007 → 31 Dec 2014

Journal of Oral Rehabilitation (Journal)

Schropp, L. (Reviewer)

1 Jan 2007 → 31 Dec 2020

The Cochrane Collaboration Oral Health Group (Journal)

Schropp, L. (Reviewer)

1 Jan 2007 → 31 Dec 2020

SSPD Annual Meeting

Schropp, L. (Participant)

24 Aug 2006 → 26 Aug 2006

Undervisningskomiteen i Scandinavian Society for Prosthetic Dentistry (SSPD) (Event)

Schropp, L. (Member)

1 Aug 2006 → 31 Dec 2014

Hvad sker der efter ekstraktion og implantatindsættelse ?

Schropp, L. (Lecturer)

24 Mar 2006

Æstetik efter behandling med enkelttandsimplantater

Schropp, L. (Lecturer)

29 Jan 2005

SSPD Annual Meeting

Schropp, L. (Participant)

2 Sept 2004 → 4 Sept 2004

Alveoleheling efter tandekstraktion og dens indflydelse på implantatbehandling

Schropp, L. (Lecturer)

25 Oct 2002

Annual meeting of European Association for Osseointegration

Schropp, L. (Participant)

12 Sept 2002 → 14 Sept 2002

Radiographs for implant treatment planning

Schropp, L. (Lecturer)
24 Aug 2001

13th International Congress of Dentomaxillofacial Radiology

Schropp, L. (Participant)
4 Aug 2001 → 8 Aug 2001

79th General Session of the International Association for Dental Research

Schropp, L. (Participant)
27 Jun 2001 → 30 Jun 2001

International Association for Dental Research (External organisation)

Schropp, L. (Member)
2001 → 2019